

AITIOU

Part No.:AIC-1607(C-02)

◎ Amorphous Toroidal Core(Used Mag-Amp)

◎ Mechanical Properties

Bare Core Dimensions (mm)			Finished Core Dimensions (mm)			Case Material & Color
O.D _{MAX}	I.D _{MIN}	H.T _{±0.2}	O.D _{±0.3}	I.D _{±0.3}	H.T _{±0.3}	
14.7	10.0	4.5	17.4	7.8	7.5	PBT or NYLON, White VS. Green

◎ Typical Parameters and Magnetic Properties

Lm (mm)	Ac (mm ²)	Wa (mm ²)	WaAc (mm ⁴)	Vol (mm ³)	100KHz, 80A/m RT	
					ϕ_c (μ Wb)	Br/Bm(%)
38.78	8.460	47.76	404.045	410.09	9.31	94 MIN


◎ Core Finished Material:

Insulating Covers:UL94V-0 or equivalent

◎ Temperature Range:

Storage temperature-20 ~ +50 °C Ambient Temperature

Operating Temperature -40 ~ +120 °C Case Surface Temperature



WIRE	0.8 ϕ	TURNS	0.5 Ts	TEMP.	25 °C
------	------------	-------	--------	-------	-------

